SIEMENS

Hoja de datos 3RT1956-4EA1

Tapa cubrebornes para conexiones de barras o en el borne tipo marco tamaño S6 de 3RT1, 3RB2, 3RW407, 3RW4



Nombre comercial del producto	SIRIUS
Designación del producto	Tapa para la conexión de terminales de cable y para barra
Tipo de producto	Longitud 100 mm, para mantener las distancias de seguridad eléctrica y como protección contra contactos directos (se necesitan 2 por aparato), con S6 y S12 también es adecuado para bornes de marco montados, para utilizar con 3UF71.3-1BA00-0, 3RW442. o 3RW443.

Certificados/Homologaciones

Sujeto a cambios
© Copyright Siemens

General Product Approval			Functional Safety/Safety of Machinery	Declaration of Conformity	
CSA	UL	EAC	Type Examination Certificate	EG-Konf.	Miscellaneous

Test Certificates	Marine / Shipping				
Special Test Certificate	ABS	LRS	PRS	RINA	RMRS

Marine / Shipping	other		Railway		
DNV·GL DNVGL.COM/AF	Confirmation	Miscellaneous	Special Test Certificate		

Más información

Information- and Downloadcenter (Catálogos, Folletos,…)
http://www.siemens.com/industrial-controls/catalogs

Industry Mall (sistema de pedido online)
https://mall.industry.siemens.com/mall/es/es/Catalog/product?mlfb=3RT1956-4EA1

Generador CAx online
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1956-4EA1


Service&Support (Manuales, certificados, características, FAQ,…)
https://support.industry.siemens.com/cs/ww/es/ps/3RT1956-4EA1

Base de datos de imágenes (fotos de producto, dibujos acotados 2D, modelos 3D, esquemas de conexiones, macros EPLAN, …)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT1956-4EA1&lang=en

Curva característica: Comportamiento en disparo, I²t, Corriente de corte limitada
https://support.industry.siemens.com/cs/ww/en/ps/3RT1956-4EA1/char

Otras características (p. ej. vida útil eléctrica, frecuencia de maniobras)
http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RT1956-4EA1&objecttype=14&gridview=view1

© Copyright Siemens



Última modificación: 13/06/2019

© Copyright Siemens